



PERFORMANCE DRIVEN PRODUCTS

Repair | Refinish | Protect



dominionsureseal.com • 1-800-265-0790



DOMINION SURE SEAL GROUP OF COMPANIES

Dominion Sure Seal Limited
was established in Toronto, Canada in 1972.

The founder of Dominion Sure Seal Limited,
Ronald B. Morton served on the
Automotive Advisory Committee to the
Canadian Government. He was a past
Chairman of I-Car International,
Chicago, IL, USA and past Chairman of
the Automotive Association of Canada's
International Committee.



1940–2011

PRODUCTS:

Dominion Sure Seal Limited manufactures and distributes a comprehensive range of automotive sealants, anti-corrosion materials, adhesives, tapes, coatings, body and trim tools, auto glass items, specialty chemicals, aerosols and plastic repair products for the entire automotive industry. Dominion Sure Seal is considered the leader in sprayable coatings and truck bedliners.

PROFESSIONAL USES:

The products are also marketed through a global system of distributors to the professional auto repair industry. Retail Trade: In 1985 Dominion Sure Seal Limited entered the retail automotive market and its products can now be found in many of the major retail automotive chains around the globe.

PRIVATE BRANDING:

Dominion also "private brands" many of its products to over 56 companies.



Founded in 1973, Rust Check is the largest dealer network of rust proofing companies in Canada with over 260 dealers in Canada. Rust Check also manufactures a complete line of retail products including; rust preventatives, coatings, paints and lubricants.

Please visit www.dominionsureseal.com



DOMINION SURE SEAL LTD.

CLEANING AND PREPARATION

Shop and Surface	2-4	Tools and Spray Guns.....	3-5, 28
------------------------	-----	---------------------------	---------

REPAIR

Glass Repair	6	Weld Thru, E-Coats and 2K Primers	15
Fillers	7	Aerosol Primers	16
Plastic Repair.....	8-13		
Attachment Tapes.....	10		
Panel Bonding.....	12		
Seam Sealers	13, 14		

REFINISH

Jtape Masking Solutions.....	18-19
Clear Coats.....	20-21
Reducers and Hardeners.....	20
Trim Black and Instant Clear	21
Refinishing Tools.....	28

PROTECT

Crystal Clear 2K Chip Guard.....	20
Gravel Guard.....	22
Undercoating	23
Anti-Corrosion	24-25, 30
Bedliners	26, 27
Rust Check	30

TOOLS

Glass Repair Tools.....	6	Rust Proofing Tools	24, 25, 27
Plastic Repair Tools.....	10, 27	Dispenser Guns and Bedliner Tools	27
Seam Sealer Tools	27, 14	Refinishing Tools.....	28
Panel Bonding Tools.....	27		
Gravel Guard and Undercoating Tools.....	22, 23, 27		

PAINT-OFF! HAND CLEANER

Waterless hand cleaner formulated with natural ingredients and pumice scrubbers to gently remove products from your skin.

- Works well on urethanes, paint, grease and epoxies.
- Contains Lanolin, glycerin and aloe vera to prevent skin from drying.

Stock	Code	Size	Qty.
CUS0	11019	500 mL/16.9 fl oz	12
CUSOB	11020	2.5 L/0.66 gal/2.64 qt	8
TCUSOB	11018	Pump—included with CUSOB	



RE-USABLE PAINT SUIT

Ideal for protecting clothes and bare skin from paint, chemicals and dirty environments. A comfortable fit with full range of movements.

- Lightweight and durable. Breathable and cool.
- Full zipper front and pull over hood.
- Washable

Stock	Code	Size	Qty.
PSUITM	8902	Medium	12
PSUITLG	8901	Large	12
PSUITXL	8900	Extra Large	12
PSUITXXL	8903	Extra Extra Large	12



SURE SPRAYER PUMP BOTTLE

Used for oxide removal, cleaning tire rims, inside car cleaning, glass cleaning and cleaning car bodies. Designed for use with wax and grease remover type products.

- Highly resistant to corrosive products, silicones and oils.
- Applies both stream and spray
- Completely enclosed to protect mechanisms from dirt and dust.
- Large capacity canister and opening for easy filling.
- Comes with extra Viton seals.



Stock	Code	Size	Qty.
PS900	8450	1–1.3 L/0.26–0.34 gal	11
PS900SK	8451	Spare Parts Kit	1

TACK CLOTHS

Stock	Code	Size	Qty.
TAC	00129	50 per Bag	1



SURE WIPE

Sure Wipe is a fast-evaporating solvent cleaner used to remove wax, grease, tar and silicones from OEM enamels or lacquer surfaces.

- Fast dry.
- Great on bare metals to remove oil & contaminants prior to body work.
- Also be used as a final wipe prior to paint & topcoats.
- General cleaner for bug and tar remover on car finishes.

Stock	Code	Size	Qty.
UUSW	6004	3.78 L/1 gal	4
UUSW5	6005	18.9 L/5 gal	1



LOW VOC WAX & GREASE REMOVER

A unique formulation of water based VOC compliant solvents and detergents designed to cut through surface contaminants prior to sanding or applying automotive paint or primer.

- VOC compliant – less than 25 grams/Litre
- Safely removes wax, silicones and sanding residue.
- Safe on most surfaces and leaves no residue.
- Spray with PS900.

Stock	Code	Size	Qty.
LVAPC	8010	3.78 L/1 gal	4
LVAPC5	8012	18.9 L/5 gal	1



FINAL WASH

A mild solvent cleaner used for removing sanding dust and compound residue from primed or painted metal surfaces.

- Cleans bare metal, existing finishes and primed surfaces.
- Not as strong as Sure Solv.
- Not recommended for use in plastic, fiberglass to fresh painted/primed surfaces.

Stock	Code	Size	Qty.
UFW5	10075	18.9 L/5 gal	1
UFW1	10071	3.78 L/1 gal	4
UFWQ	10079	946 mL/32 fl oz	12



EZ WIPE MILD PAINT PREP SOLVENT

EZ Wipe is a mild solvent cleaner formulated to remove sanding dust and compound residue from primed or painted metal surfaces prior to painting.

Stock	Code	Size	Qty.
BEZW	10054	3.78 L/1 gal	4
BEZW5	10064	18.9 L/5 gal	1



SURE SOLV

Removes sealants, adhesives, waxes and most other contaminants from painted and non-painted surfaces. Ideal for cleaning up uncured urethanes with no mess.

Stock	Code	Size	Qty.
SUS	10050	454 g/16 oz	12
BSS	10058	1 L/33.8 fl oz	12
BSS1	10056	4 L/1.06 gal	4
BSS5	10057	20 L/5.28 gal	1



PANEL PREP

A high quality, VOC compliant surface cleaner. Panel Prep has a unique foaming action that lifts contaminants off the surface, making them easier to remove. Hangs well on vertical surfaces.

- Easy to use spray on and wipe off.
- Removes wax, grease, dirt and oils.
- Silicone free.
- Works well on plastic, metal and painted surfaces.

Stock	Code	Size	Qty.
SPPV	24048	510 g/18 oz	12



CITRUS BASED PANEL PREP

Specialized blend of citrus cleaners designed to remove all solvent and water based contaminants from interior and exterior plastic parts.

- Compatible with all top coats.
- Does not leave any residue.
- Can also be used on metal.

Stock	Code	Size	Qty.
SPD	240155	270 g/9.5 oz	12



BUMPER STRIPPER

A unique formulation that strips all refinish materials off most bumpers and will not swell or attack urethanes.

- Will remove all refinish material but not OEM factory-baked finish.
- Test a small area before applying to entire bumper.

Stock	Code	Colour	Size	Qty.
SBS	24019	Clear	482 g/17 oz	12



GLASS CLEANER

Ammonia fortified, fast acting glass cleaner offers a medium foaming spray that will leave all surfaces clean, streak free and clear of all contaminants.

- Easy to use; spray on and wipe off.
- Streak free.
- Unique anti-fog formula.
- Compatible with quality tint systems.
- Excellent cleaner for glass installation.

Stock	Code	Colour	Size	Qty.
SKS	240440	Clear	500 g/17.64 oz	12



FUTURE CLEAN

A multi-purpose solvent suitable for removing contaminants and other organic materials from a variety of metal and plastic substrates. Used for general maintenance cleaning of coating or adhesive application equipment and tools.

- Super penetrating formula.
- Rapid acting.
- No chlorinated solvents.
- Contains citrus oil.
- Biodegradable.
- Not suitable for prep cleaning.

Stock	Code	Size	Qty.
BFC	240526	946 mL/32 fl oz	12



PROFESSIONAL LABEL & STICKER REMOVER

Removes labels and stickers from bumpers, glass and painted surfaces safely and effectively.

Stock	Code	Size	Qty.
SLSR	240600	170 g	12



SURE STRIP HIGH STRENGTH PAINT & COATING STRIPPER

A fast acting paint stripper designed to remove all types of paint finish (including OEM) from metal substrates. Will remove acrylics, epoxies, enamels, lacquers, polyurethanes and most other automotive finishes.

- Fast Acting.
- Works on most paint types.
- Also comes in convenient aerosol (SSO) for "spot jobs".
- Easy to use.



Stock	Code	Description	Size	Qty.
SSO	24014	Aerosol	510 g/18 oz	12
BPSQ	11007	Bulk	946 mL/32 fl oz	6
BPS	11003	Bulk	3.78 L/1 gal	4



SPRAY GUN PAINT REMOVER

Quickly dissolves paint and cleans fluid passages to keep paint guns running smoothly and ready for the next job.

- Powerful pinpoint spray quickly dislodges and dissolves paint.
- Saves time, labour and material.
- Works with all gravity feed and PPS style guns.

Stock	Code	Size	Qty.
SSGC	10065	270 g/9.5 oz	12



AQUA SOLV CLEANING SOLUTION

Aqua Solv is a unique low VOC water based cleaning solution for use in waterborne gun cleaning systems.

Stock	Code	Size	Qty.
TB101AS	00050	20 L pail	1



SURE MASK

Easy to apply, sprayable paint masking system that dramatically reduces overspray experienced with traditional masking techniques. Reduces the time required to sufficiently mask a vehicle prior to painting, along with post painting removal of the masking products, saving up to 30 minutes of labour each paint job.

- Easy to use.
- Safe and economical.
- Reduces time.
- No odor.
- Biodegradable.



Stock	Code	Size	Qty.
BSM	124000	3.78 L/1 gal	4
BSM20	124100	18.9 L/5 gal	1
BSM15	124150	56.8 L/15 gal	1
BSM205	124200	205 L/54.2 gal	1

LIQUID MASK

A water-based clear liquid masking solution that is very effective in preventing paint overspray on parts and booth walls. Dries to a firm coating that will not adhere to skin or clothing.

- VOC compliant – less than 25 grams/litre
- Clear and water based
- Dissolves easily when coated with water.

Stock	Code	Size	Qty.
BLM	124400	4 L/1.06 gal	4
BLM20	124402	18.9 L/5 gal	1
BLM15	124404	56.8 L/15 gal	1
BLM205	124406	205 L/54.2 gal	1



PREMIUM GUN WASH

Solvent based gun wash for gun cleaning systems. Not for sale in California.

Stock	Code	Qty.
UGW5	10070	1



AQUALATE

Aqualate is a non hazardous flocculating powder used to separate paint material from the cleaning solution in water based gun cleaning systems

Stock	Code	Size	Qty.
TB101FL	00049	2 kg (4.4 lbs)	1



RUST PENETRANT

Superior lube penetrating fluid with excellent capillary action to creep into the tightest places.

- Works when wet and will not evaporate.
- Excellent as an anti-corrosion agent.
- Silicone free.
- Works well on any threaded part including nuts, screws and bolts.
- Displaces water. Eliminates squeaks.
- Excellent for use on brake linkages.

Stock	Code	Size	Qty.
SPL	24047	340 g/12 oz	12



4 WAY HELPER

A superior blend of penetrants and lubricants that protect and displace moisture all in one can.

- Loosens seized nuts and bolts.
- Proven to be more effective than other leading lubricants on the market.
- Protects new and old metals.

Stock	Code	Size	Qty.
SESP	24037	340 g/12 oz	12



HEAVY DUTY ALL PURPOSE SILICONE SPRAY

Ideal for use on plastic, metal and rubber parts. It will not only lubricate, but also maintain, protect and insulate.

- Ozone friendly. Anti-Static.
- Will not stain.
- Maintains rubber parts such as door and hood sealings, bumper strips, rubber baffles, radiator tubes etc.

Stock	Code	Size	Qty.
SSL	24052	320 g/11.3 oz	12





DOMINION SURE SEAL SPRAY GUN PAINT REMOVER

**Quickly dissolves paint.
Pinpoint spray.**

Dominion Sure Seal Spray Gun Paint Remover will keep paint guns running smoothly, saving time, labor and material.

Spray Gun Paint Remover is an easy to use economical product for removing paint from spray guns after painting.



Code: 10065 / Stock: SSGC
425 g / 15 oz aerosol

DOMINION SURE SEAL LTD.
1-800-265-0790 • www.dominionsureseal.com

FAST CURE URETHANE AUTO GLASS ADHESIVE/SEALANT

Fast setting with an average drive away time of 2 hours, this autoglass urethane provides excellent strength and adhesion to glass and metal.

- Primerless urethane.
- Passes U.S. MVSS 212 and 216 drive away tests.
- Can also be used as a high strength adhesive for re-applying moldings and ground effects.

Stock	Code	Colour	Size	Qty.
CUSF	3010	Black	310 mL/10.5 fl oz	12



URETHANE AUTO GLASS ADHESIVE/SEALANT

An average 6 hr setting autoglass urethane provides excellent strength and adhesion to glass and metal.

- Passes U.S. MVSS 212 and 216 drive away tests.
- Can also be used as a high strength adhesive for re-applying moldings and ground effects.

Stock	Code	Colour	Size	Qty.
CUS	9006	Black	310 mL/10.5 fl oz	12



LIQUI-BUTYL WINDOW INSTALLER

General purpose sealant for butyl type window installations.

Stock	Code	Colour	Size	Qty.
CLW	9009	Clear	300 mL/10.1 oz	12



GLASS CLEANER

Ammonia fortified, fast acting glass cleaner offers a medium foaming spray that will leave all surfaces clean, streak free and clear of all contaminants.

- Easy to use; spray on and wipe off.
- Streak free.
- Unique anti-fog formula.
- Compatible with quality tint systems.
- Excellent cleaner for glass installation.

Stock	Code	Colour	Size	Qty.
SKS	240440	Clear	500 g/17.64 oz	12



REVEAL MOLDING REMOVAL TOOLS

Removes all conventional glass moldings from windshield

Stock	Code	Qty.
TMLR	00080	1



PUTTY STICK

Inserts and removes rubber gaskets. Tools and feathers sealants.

Stock	Code	Qty.
TWP	00118	1



PIANO WIRE

Standard 'piano wire' for removal of all windshields.

Stock	Code	Qty.
TWW	00119	1



GOLD PLATED WINDSHIELD WIRE

Gold plated windshield wire. Features a serrated edge for fast cutting.

Stock	Code	Qty.
TWWG	21900	1



PRO SERIES 

PRO SERIES LITE WEIGHT GRIP FILLER

A creamy body filler, with a smooth texture that is easily spreadable and sands to a fine featheredge.

- Non-sag and tack free.
- Perfect for vertical surfaces, filling dents, dings, scratches and small holes up to 1/4".
- Can be used on metal (galvanized and zinc coated), aluminum, fiberglass, wood, 2k primers and SMC (cosmetic repairs only).

Stock	Code	Size	Qty.
PS007	00733	Off-White 3 L/3.17 qt	4



PRO SERIES FINISHING GLAZE

A two part polyester fine finishing and blending putty. To be applied in very thin layers as a top coat glaze in order to fill pin holes, minor irregularities, small paint damage or fine scratches. Helps prevent bleed through under paint systems.

- Adheres to iron, steel, aluminum, galvanized substrates, SMC & fiberglass.
- fiberglass.
- Easy to use with quick sanding times.
- Applied by spreader or brush.
- No shrinking of the topcoat.

Stock	Code	Size	Qty.
PS088	2088	Light Green 500 mL/16.9 fl oz	12



EUROPEAN 2K POLYESTER FINISHING PUTTY

Easy sanding and tack free, this two-component finishing putty fills minor imperfections on body filler, steel, aluminum, galvanized metals and SMC.

- Adheres to steel, aluminum, galvanized substrates and iron.
- Glass fibre reinforced materials.
- Easily sandable.
- High filling properties with high elasticity.
- Bright white pigmentation.
- No sinking of the topcoat.

Stock	Code	Colour	Size	Qty.
XEP25	4602	White	2 kg	6



SURE GLAZING & SPOT PUTTY

A finishing putty used to smooth minor defects and imperfections on body filler or steel, aluminum, galvanized metals, SMC and many plastics.

- Fast Drying.
- Spreads and sands easily with great feathering characteristics with high elasticity.
- Great for pinholes on painted surfaces.

Stock	Code	Colour	Size	Qty.
XSP1	440205	Red	290 mL/9.8 fl oz	12



KEVLAR REINFORCED REPAIR COMPOUND

A two-part, simple to use, high strength material designed for heavy duty repair on rigid plastics such as SMC, BMC, ABS, polycarbonates, fiberglass and all other fiber reinforced plastics.

- Designed for structural repairs.
- One to one mixing ratio.
- Easy to sand, and sandable in 2 hours.
- No pin holes.
- Compatible with all topcoats.
- Great working time for building reinforcement patches.
- VOC free.

Stock	Code	Size	Qty.
XRFHSQ	4099	1 L/3.18 lbs	3
XRFHSG	4098	4 L/12.2 lbs	2





WE HAVE THE PRODUCTS FOR YOUR ALUMINUM REPAIRS

CLEANERS - PRIMERS
SEAM SEALERS - ADHESIVES
PROTECTIVE COATINGS - UNDERCOATINGS



www.dominionsureseal.com 1-800-265-0790

ADHESION PROMOTER

A uniquely formulated blend of proprietary resins that create adhesion on "tough to bond" plastics allowing adhesion of repair fillers and coatings.

- Also used as an excellent wet on wet "sealer" for all flexible and semi-rigid pastics, including TPO and TPE.
- Aerosol has a comfort button tip for a wide spray pattern.



Stock	Code	Description	Size	Qty.
SXPP24	420701	Aerosol: Clear	480 g/16.9 oz	12
XPPPQ	400100	Clear	1 L/33.8 fl oz	6
XPPP1	400101	Clear	3.78 L/1 gal	4
XPPP5	400105	Clear	20 L/5 gal	1

FIBRE REINFORCEMENT TAPE

A self adhesive fibre reinforced tape generally used on the backside of plastic repairs.

- Adds necessary strength to the repair area.
- Allows filler to penetrate through the tape for added strength.



Stock	Code	Colour	Size	Qty.
XWT	40900	White	20 m/65.62 ft	12

PANEL PREP

A high quality, VOC compliant surface cleaner. Panel Prep has a unique foaming action that lifts contaminants off the surface, making them easier to remove. Hangs well on vertical surfaces.

- Easy to use; spray on and wipe off.
- Removes wax, grease, dirt and oils.
- Silicone free.
- Works well on plastic, metal and painted surfaces.



Stock	Code	Colour	Size	Qty.
SPPV	24048	Clear	510 g/18 oz	12

PLASTIC ADHESIVE WELD KIT

High performance grade cyanoacrylate adhesive with pump spray accelerator. Designed to provide a near instant and maximum bond strength to various tears in plastics, elastomers and metals while performing the permanent repair with DSS plastic fillers

- High temperature resistance and impact strength.
- Will not crack or craze.
- Capable of penetrating between parts.
- Full cure in 10–30 seconds.
- For best results clean both sides of the repair with SPPV.



Stock	Code	Size	Qty.
XPSA	4025	0.33 oz/10 g	12
XPSA1	402520	1 oz/20 g	12

SURE SEAL PLASTIC SURGERY



FLEXIBLE

A two component flexible modified epoxy designed for the repair of flexible plastics. Works on the more common (TPUR, PUR, Rim) types of plastics as well as (PP, TPO, TPE).

Stock	Code	Size	Qty.
XPST	4008	440 g/15.5 oz	12
XPSTC	400801	908 g/2 lbs	12

RIGID

A two component rigid modified epoxy designed for the repair of rigid plastics including (SMC, BC & RTM). Ideal for use on fiberglass parts where extra strength is needed.

Stock	Code	Size	Qty.
XRF	4006	440 g/15.5 oz	12
XRFC	40132	908 g/2 lbs	12

SEMI-RIGID/ALL PURPOSE

A two-component semi-rigid modified epoxy designed as an 'All Purpose' plastic repair material. XPSAP is the best sanding plastic filler available.

Stock	Code	Size	Qty.
XPSAP	4013	440 g/15.5 oz	12
XPSAPC	401301	908 g/2 lbs	12

GENERAL PURPOSE REPAIR EPOXY

A two-part, VOC free epoxy designed for rigid material such as plastics and metals. Formulated to stick to all rigid type plastics such as SMC, ABS, Poly-carbonate and other rigid substrates.

Stock	Code	Colour	Size	Qty.
XE89	4019	Grey	440 g/ 15.5 oz	12



SUREMIX ALL PURPOSE URETHANE REPAIR ADHESIVE/SEALANT

Designed for fast repairs, bonding and reinforcements on all plastics. Great for use on plastic backer panels, cracked headlight buckets and grill repair. Can be used to set screws when stripped.

- Unique formulation – compatible with all 'tough to bond' plastics.
- Also bonds to metal, wood, SMC & fiberglass, glass and more.
- 1-2 minute work time.
- Sand and paintable in 8 minutes.
- Full cure in 1 hour.
- Use with XSMAPG and XSMAPT



Stock	Code	Size	Qty.
XSMAP	440199	50 mL/1.7 fl oz	12

TOTAL TRIM ADHESIVE

A unique acrylic blend adhesive for general interior and other trim applications. The mist spray pattern provides 100% substrate covering without attacking or staining materials.

- Strong adhesive, even in dramatic temperature changes, including high heat.
- Easy to use "mist" spray pattern.
- Does not stain substrate.
- Does not attack sensitive materials.
- Multi-purpose adhesive.



Stock	Code	Size	Qty.
STT	24059	320 g/11.29 oz	12

APPLICATOR GUN FOR 50 mL SUREMIX CARTRIDGE

Heavy duty all metal gun for use with 50ml Suremix products XSMAP.

Stock	Code	Qty.
XSMAPG	201B	1



CONVERSION ADAPTER FOR 50 mL SUREMIX CARTRIDGE

Easily fits into a standard 2-part caulking gun to allow for use with 50ml cartridge.

Stock	Code	Qty.
XSMAPT	440202	1



MIXERS FOR XSMAP

Stock	Code	Value	Qty.
XSMM50	440203	1/pack	1
XSMM5012	440981	12/pack	1
XSMM5050	440984	50/pack	1
XSMM50100	440983	100/pack	1



PRO SERIES

EVO

NEW



REVOLUTIONARY MASKING TAPE

- For use with Solvent or Waterborne Paints
- Waterproof • Flexible and easy to curve
- Straight edge no bleed
- Can be Infrared or Booth Baked
- Ideal for double masking
- Clean removal, no residue
- New advanced technology

Stock	Code	Size	Qty.
PS018	30018	18mm x 50M	48R
PS024	30024	24mm x 50M	36R
PS036	30036	36mm x 50M	24R
PS048	30048	48mm x 50M	20R

DOUBLE SIDED ACRYLIC FOAM ATTACHMENT TAPE

High performance double sided tape used for bonding lightweight trim and body moldings including nameplates and badges.

- For maximum adhesion to plastic use DSS adhesion promoter SXPP24.
- Repositionable then press for permanent hold.

Stock	Code	Size	Qty.
WTS1/2S	3066	1/2" x 12 mm x 60'	12
WTS1S	3077	1" x 12 mm x 60'	6
WTS3/4S	3078	3/4" x 19 mm x 60'	6
WTS5/8S	3069	5/8" x 16 mm x 60'	12
WTS7/8S	3072	7/8" x 22 mm x 60'	6



DOUBLE SIDED PREMIUM ACRYLIC FOAM ATTACHMENT TAPE

Professional formula designed for the application of medium weight and larger body side moldings, door edges, interior trim panels, emblems and other accessories.

- 1/4" and 7/8" widths are available in 15' and 60' lengths.
- For maximum adhesion to plastic use DSS adhesion promoter SXPP24.
- Repositionable then press for permanent hold.

Stock	Code	Size	Qty.
WTSR1/4S	306115	1/4" x 16 mm x 60'	12
WFT1/2S	3092	1/2" x 12 mm x 15'	12
WTSR1/2S	306000	1/2" x 12 mm x 60'	10
WTSR7/8S	306100	7/8" x 22 mm x 60'	7
WFT7/8S	3095	7/8" x 22 mm x 15'	8



SUPERIOR DOUBLE SIDED ACRYLIC FOAM ATTACHMENT TAPE

Our strongest double sided urethane foam tape with an acrylic adhesive — suited for heavyweight trim components.

- Very high shear strength and cold temperature resistance.
- For maximum adhesion to plastic use DSS adhesion promoter SXPP24.
- Repositionable then press for permanent hold.

Stock	Code	Size	Qty.
WTSP1/2S	306110	1/2" x 12 mm x 60'	12
WTSP7/8S	306120	7/8" x 22 mm x 60'	6





SureMix

2 PART ADHESIVE REPAIR GUIDE

Panel Bonding Metal and Aluminum

*All times can be accelerated with heat
*Times shown are @ 72°F (21°C)

XSM11002
Fast

Description	Application	Work Time	Set Time
Small Panel Adhesive	Non structural bonding of smaller panels, patch panels and bonding as well as small door skins.	13-18 min	60-90 min

XSM5002
Medium

Medium Panel Adhesive	Non structural medium sized panel and weld bonding. Qtr panels, door panels, roof skins and other body panels. Can be accelerated with heat.	50-55 min	3.5 - 4 hrs
------------------------------	--	-----------	-------------

XSM7002
Slow

Large Panel Adhesive	Non structural large sized panel and weld bonding. Qtr panels, door panels, and other body panels. Also suitable for smaller repairs where you want more set time. Can be accelerated with heat.	85-90 min	4.5 - 5 hrs
-----------------------------	--	-----------	-------------

- Clean area with Sure Solv BSS, LVAPC or SPPV. Use CUSF, CUSS or CSSB on intrusion beams and roof bows when bonding Door Skins and Roof Panels.

Panel Bonding SMC and Fiberglass

XSM11052
Fast

Description	Application	Work Time	Set Time
Small Panel Adhesive	Use for bonding small panels, backer panels, ground effects, headlight buckets, small spoilers. Any small SMC, Fiberglass or other rigid plastic panels that a short work time is needed.	13-18 min	60-90 min

XSM5052
Medium

Medium Panel Adhesive	Non structural medium sized panel bonding. Qtr panels, door panels, wind deflectors, cab extenders and other outer body panels.	50-55 min	3.5 - 4 hrs
------------------------------	---	-----------	-------------

XSM7052
Slow

Large Panel Adhesive	Bonding of all medium and large sized SMC and Fiberglass non structural panels. Can be used on all SMC and Fiberglass non structural small, medium and large sized panels where a 90 min work time is desired.	85-90 min	4.5 - 5 hrs
-----------------------------	--	-----------	-------------

- Use Sure Solv BSS, LVAPC or SPPV to clean the bond area. Use XRF 2 Part epoxy Adhesive filler as a skim coat over a panel slice. XWT tape may be used as reinforcement.

Plastic Repair

XSM15002
Super Fast

Description	Application	Work Time	Sand Time
Urethane Super Fast Adhesive Translucent	Bumper tab repair, bonding/repairing of body side moldings, ground effects, emblems, vents, sun visors. Repair of stripped threads. Use as a general fast set bonder on metal, plastic, SMC and Fiberglass.	40-60 sec	5-6 min

XSM6002
Fast

Urethane Fast Adhesive Black	Use to repair bumpers and to adhere all types of automotive plastics. Great for use for bumper repair, tabs, or bonding/repairing of body side molding, emblems, small patch panels, bonding on SMC/Fiberglass and more.	1-2 min	8-15 min
-------------------------------------	--	---------	----------

XSM2002
Medium

Urethane Medium Adhesive Black	Medium to large bumper repairs. Also used to bond/repair SMC and fiberglass applications. Works well for small door skins, spoilers, ground effects, headlight buckets and more.	5-10 min	45-60 min
---------------------------------------	--	----------	-----------

- Clean all plastics with with SPPV prior to applying adhesive. Adhesion promoter SXPP24 or XPPPQ may be used to increase the bond and XPSA temporarily holding the tear during the repair. XWT may be used as a rear side reinforcement. Use XPSAP, XPST or XRF for front side perfect sanding and a feather finish.

Sealers

*all of our seam sealers can be used DTM on Metal and Aluminum

XSM8002

Description	Application	Work Time	Paint Time
DTM Heavy Body Epoxy Seam Sealer	Cosmetic seams, sound deadening, body panel seams, truck bed seams, door skin seams, floor pan seams, ground effects, brushed seams, core support and anywhere a non-sag seam sealer is required.	5-10 min	30 min

XSM9002

DTM Epoxy Self-levelling Seam Sealer	Drip rails, trunks, roof seams and anywhere a self-levelling sealer that requires no additional tooling would be desired.	5-10 min	30 min
---	---	----------	--------

XSM16002

DTM Control Flow Epoxy Seam Sealer	Standing horizontal and sloped cosmetic seams, trunk seams, floor pans, door skins. Drip rails and core supports. Used anywhere a controllable self leveling seam sealer is needed.	5-10 min	30 min
---	---	----------	--------

- Clean area with SPPV Panel Prep prior to use.

Metal & Aluminum

*All Panel Bonding adhesives use **mixing tip XSMM218**.

SMALL PANEL ADHESIVE METAL & ALUMINUM

Non structural bonding of smaller panels, patch panels, and bonding as well as small door skins.

- 13–18 minute work time.
- Unclamp in 60–90 min.

Stock	Code	Colour	Size	Qty.
XSM11002	11002	Grey	207 mL/7.0 fl oz	6



MEDIUM PANEL ADHESIVE METAL & ALUMINUM

Non structural, medium sized panel and weld bonding. Ideal for quarter panels, door panels, roof skins and other body panels.

- High strength.
- Bonds & seals simultaneously.
- Built in spacers to assist in obtaining the proper bond line thickness.
- Reduces conventional welding and related hazards.
- Can be accelerated with heat.
- 50–55 minute work time.
- Paintable in 1 hour.
- Unclamp in 3.5–4 hours.

Stock	Code	Colour	Size	Qty.
XSM5002	5002	Grey	207 mL/7.0 fl oz	6



LARGE PANEL ADHESIVE – METAL & ALUMINUM

Non structural, large sized panel and weld bonding. Ideal for use on quarter panels, door panels and other body panels. Also suitable for smaller repairs where a longer work time is desired.

- High strength.
- Bonds & seals simultaneously.
- Built in spacers to assist in obtaining the proper bond line thickness.
- Weld Thru when wet.
- Reduces conventional welding, and related hazards.
- Can be accelerated with heat.
- 85–90 minute work time.
- Paintable in 1 hour.
- Unclamp in 4.5–5 hours.

Stock	Code	Colour	Size	Qty.
XSM7002	7002	White	207 mL/7.0 fl oz	6



SMC & Fiberglass

*All Panel Bonding adhesives use **mixing tip XSMM218**.

SMALL PANEL ADHESIVE SMC & FIBERGLASS

Use for bonding small panels, backer panels, headlight buckets, small spoilers. Any small SMC, fiberglass or other rigid plastic panels that a short work time is needed.

- 13–18 minute work time.
- Unclamp in 60–90 min.

Stock	Code	Colour	Size	Qty.
XSM11052	11002	Grey	207 mL/7.0 fl oz	6



MEDIUM PANEL ADHESIVE SMC & FIBERGLASS

Non structural, medium sized panel bonding. Ideal for quarter panels, door panels, wind deflectors, cab extenders and other outer body panel.

- High strength.
- Bonds & seals simultaneously.
- Built in spacers to assist in obtaining the proper bond line thickness.
- Can be accelerated with heat.
- 50–55 minute work time.
- Paintable in 1 hour.
- Unclamp in 3.5–4 hours.

Stock	Code	Colour	Size	Qty.
XSM5052	5052	Grey	207 mL/7.0 fl oz	6



LARGE PANEL ADHESIVE – SMC & FIBERGLASS

Bonding of all medium and large sized SMC and fiberglass non-structural panels. Can also be used on all sizes of non-structural panels where a 90 minute work time is desired.

- High strength.
- Bonds & seals simultaneously.
- Built in spacers to assist in obtaining the proper bond line thickness.
- Can be accelerated with heat.
- 85–90 minute work time.
- Paintable in 1 hour.
- Unclamp in 4.5–5 hours.

Stock	Code	Colour	Size	Qty.
XSM7052	7052	Tan	207 mL/7.0 fl oz	6



USE: DISPENSER GUN T221 FOR ALL 200 ML SUREMIX CARTRIDGES (PG. 27)

MIXING TIPS

Stock	Description
XSMM2188	Bag of 8 XSMM218 18 element mixing tips
XSMM21825	Bag of 25 XSMM218 18 element mixing tips



Plastic Repair

*All plastic repair adhesives use **mixing tip XSM200U**.

URETHANE MEDIUM ADHESIVE – PLASTICS, SMC & FIBERGLASS

Designed for bumper and plastic repairs. Ideal for reinforcement and repairs on all plastics including TPO, PP and other "olefin" plastics.

- Multi purpose – works on all flexible and semi rigid bumpers.
- Compatible with all automotive plastics.
- 100% solids/VOC free.
- 5–10 minute work time.
- 45–60 minute sand & paint time.
- Full cure strength in 3 hours.

Stock	Code	Colour	Size	Qty.
XSM2002	2002	Black	207 mL/7.0 fl oz	6



URETHANE FAST ADHESIVE – PLASTICS, SMC & FIBERGLASS

Use to repair bumpers and to adhere all types of automotive plastics. Great for use on bumper repair, tabs, or bonding/repairing body side molding, emblems, small patch panels and bonding to SMC and fiberglass.

- Great for use as reinforcement on plastics.
- Multi purpose – bonds, fills and repairs.
- Excellent bonding strength.
- Excellent featheredging characteristics with no pinholing.
- 1–2 minute work time.
- Sandable in 8–15 minutes.
- Full cure strength in 1 hour.

Stock	Code	Colour	Size	Qty.
XSM6002	60002	Black	207 mL/7.0 fl oz	6



URETHANE SUPER FAST ADHESIVE – PLASTICS, SMC & FIBERGLASS

Bumper tab repair, bonding/repairing of body side moldings, ground effects, emblems, vents, sun visors. Repair of stripped threads. Use as a general fast set bonder on metal, plastic, SMC and Fiberglass.

Stock	Code	Colour	Size	Qty.
XSM15002	15002	Black	207 mL/7.0 fl oz	6



2K Seam Sealer

DTM HEAVY BODY EPOXY SEAM SEALER

Used for cosmetic seams, sound deadening, body panel seams, truck bed seams, door skins, floor pan seams, core support and anywhere a non-sag seam sealer is required.

- Used for sealing of galvanized and cold rolled steel, also excellent on aluminum.
- Can be used on painted surfaces as well as DTM.
- Fast setting, fast curing and fast to paint.
- Permanently flexible.
- Compatible with urethane and epoxy topcoats.
- Excellent tooling characteristics.
- Use mixing tip **XSM200U**.

Stock	Code	Size	Qty.
XSM8002	8002	207 mL/7.0 fl oz	6



DTM SELF-LEVELING EPOXY SEAM SEALER

Ideal for use on drip rails, trunks, roof seams and anywhere a self-leveling sealer, that requires no additional tooling would be desired.

- Use on primed steel and aluminum.
- Blue Fast setting, fast curing and fast to paint.
- VOCfree.
- Permanently flexible and durable.
- Compatible with urethane and epoxy topcoats.
- Use mixing tip **XSM218**.

Stock	Code	Size	Qty.
XSM9002	90002	207 mL/7.0 fl oz	6



DTM CONTROL FLOW EPOXY SEAM SEALER

Great for standing horizontal and sloped cosmetic seams, truck seams, floor pans, door skins, door rails and core supports. Can also be used anywhere a controllable self leveling seam sealer is desired.

- Excellent for both horizontal and sloped areas.
- Use on galvanized and cold rolled steel as well as aluminum.
- Fast setting, fast curing and fast to paint.
- Almost zero VOC.
- Permanently flexible and durable.
- Compatible with urethane and epoxy topcoats.
- Use mixing tip **XSM200U**.

Stock	Code	Size	Qty.
XSM16002	16002	207 mL/7.0 fl oz	6



MIXING TIPS

Stock	Description	Qty.
XSM200U6	Bag of 6 XSM200U	18 element fold mixing tips
XSM200U50	Bag of 50 XSM200U	18 element fold mixing tips



1K DTM SEAM SEALER

NEW

A versatile hybrid polymer single component sealer for sealing all internal and underbody seams, joints and voids that can be painted immediately and for up to 30 days without scuffing. High solids content.

- Direct to Metal.
- Isocyanate and solvent free.
- Remains flexible without shrinking.
- Vibration and sound deadening.
- Weldable



Stock	Code	Colour	Size	Qty.
CUSB	39592	Black	290 mL/9.8 fl oz	12
CUSG	39572	Grey	290 mL/9.8 fl oz	12
CUSW	39562	White	290 mL/9.8 fl oz	12

SURE SEAL SEAM & JOINT SEALER

All purpose 1K seam and joint sealer. Use for all sealing applications.

- High rubber content.
- Highly elastic with very little shrinkage.
- Low and high temperature flexibility.
- Fast drying and non sagging.
- Paintable in 30 minutes.



Stock	Code	Colour	Size	Qty.
CSB	9003	Black	300 mL/10.1 fl oz	12
CSC	9001	Clear	300 mL/10.1 fl oz	12
CSG	9004	Grey	300 mL/10.1 fl oz	12
CSW	9002	White	300 mL/10.1 fl oz	12
CSN	9005	Beige	300 mL/10.1 fl oz	12

DELUXE CAULKING GUN

All standard 300ml cartridges may be used with this high thrust caulking gun. Thrust ratio 26:1



Stock	Code	Qty.
TCG	00072	1

EUROPEAN SOUND DEADENING PADS

Non-flammable and paintable, these sound deadener pads are ideal for vehicle doors, floors, roofs and trunks.

- Excellent adhesion to bare or primed metal, plastic, concrete, glass and wood.
- Flexible at low temperatures.
- Resistant to chemicals, oil, grease and radiation.
- OEM appearance and approved.



Stock	Code	Colour	Size	Qty.
BSDE	100901	Black	17-3/4" x 19-3/4"	10/box

1K DTM SPRAYABLE SEAM SEALER

NEW

A sprayable hybrid polymer single component sealer that is used for duplicating OEM sprayed seams and sound deadening. Can be painted immediately and for up to 30 days without scuffing.

- Sprayable with TMSP or other compatible cartridge gun.
- Isocyanate and solvent free.
- Weldable.
- Remains flexible without shrinking.
- Vibration and sound deadening.
- Replicates OEM seams.



Stock	Code	Colour	Size	Qty.
CSSB	39692	Black	290 mL/9.8 fl oz	12
CSSG	39672	Grey	290 mL/9.8 fl oz	12
CSSW	39662	White	290 mL/9.8 fl oz	12

SEAM SEALER SPRAY GUN

Applicator gun for replicating sprayed OEM seams and sound deadening with CSSB/CSSG/CSSW.

- Adjustable spray pattern to replicate OEM sprayed seams and sound deadening.
- Can also be used for regular caulked seams with included accessories.
- Includes tips for door seams and truck beds.



Stock	Code	Qty.
TMSP	207	1

SURETHANE – POLYURETHANE ADHESIVE/SEALANT

A one component, permanently flexible, polyurethane adhesive sealer. This high strength adhesive can replace rivets, welds and other fasteners particularly in the repair and construction of trailers, trucks, buses and other specialty vehicles.

- Excellent adhesion to painted and non-painted metals, aluminum, SMC, fiberglass and most plastics.
- Paintable, sandable and remains permanently flexible. Non-staining.



Stock	Code	Colour	Size	Qty.
CUSS	9020	Black	310 mL/10.5 fl oz	12

BRUSH ON SEAM SEALER

A 100% rubberized seam and joint sealer for bare and primed metals. Excellent adhesion and is ideal for all "lap" and "flange" seams and joints.

- Grey in colour and holds a perfect brush mark.
- Paintable in 20 minutes.
- Heavy bodied sealer remains flexible.
- Will not "sag" or "sink".
- Minimal Shrinkage.



Stock	Code	Colour	Size	Qty.
PBGQ	500001	Grey	900 mL/30.4 fl oz	6



COPPER WELD-THRU PRIMER

Designed to eliminate the corrosion that forms between welded substrates. Copper enriched formula provides superior conductive properties that minimize the heat zone and reduces distortion and welding splatter.

- Exceptional for welding.
- Excellent adhesion to bare metal.
- Fast drying with superior corrosion protection.



Stock	Code	Size	Qty.
SCW	240800	410 g/14.46 oz	12


DTM SURE SEAL E-COAT

Designed to recoat engine compartments, support rails, inner body panels and trunk areas, restoring the colour back to original OEM colour and sheen.

- Available in 7 colours.
- Scratch, chip and chemical resistant.
- Superior adhesion and corrosion protection.
- Fast coverage.
- Compatible with most automotive topcoats.



Stock	Code	Colour	Size	Qty.
SECBL	240042	Black	340 g/12 oz	12
SECGRY	240048	Grey	340 g/12 oz	12
SECLG	240044	Light Green	340 g/12 oz	12
SECOB	240046	Olive Brown	340 g/12 oz	12
SECOG	240043	Olive Green	340 g/12 oz	12
SECTA	240047	Tan	340 g/12 oz	12
SECWH	240050	White	340 g/12 oz	12



HI-BUILD ZINC WELD THRU PRIMER

A zinc rich coating specially formulated to prepare metal surfaces for welding.

- Fast dry (10–15 mins).
- Excellent corrosion protection.
- Reduces "mig" weld splatter.
- Fast coverage.
- Paint gun style fan pattern.
- Excellent adhesion. Can be topcoated.



Stock	Code	Size	Qty.
SZC	24090	410 g/14.46 oz	12

LOW VOC ULTRA PRIMER

- Direct to metal.
- Multi-purpose primer.
- Roll or spray.
- Fast and easy sanding.



Stock	Code	Description	Size	Qty.
EUP105	2105	Grey	3.78 L/1 gal	4
EUP105Q	3105	Grey	946 mL/32 fl oz	12
EUP105K	21005	Ultra Primer Kit	4.73 L/1.25 gal	1

LOW VOC ULTRA PRIMER ACTIVATOR



Goes with EUP105/Q

For use with Ultra Primer (EUP105).



Stock	Code	Colour	Size	Qty.
EUA105	2100	Clear	946 mL/32 fl oz	12
EUA105HP	3100	Clear	236 mL/8 fl oz	12

2K URETHANE PRIMER/SURFACER

A high build extremely fast primer. Easy sanding with excellent hold out.

- Excellent humidity & salt spray resistance.
- Touch dry in 30 minutes.
- Full cure 1–3 hours.
- Excellent filling properties.



Stock	Code	Colour	Size	Qty.
HEPSG	72647	Grey	3.78 L/1 gal	4

2K URETHANE CATALYST

Catalyst for 2K Urethane Primer (HEPSG).

- Excellent filling properties.
- Fast dry.
- Non-shrinking.
- Excellent color holdout.



Stock	Code	Colour	Size	Qty.
HEPSC	72644	Clear	946 mL/32 fl oz	4



3 IN 1 PRIMER

An excellent, high-build primer with great flexibility. This unique formulation is able to provide a coating thickness that is similar to a spray gun application.

- Sandable in 15 minutes.
- Paintable in 30 minutes.
- Great flexibility and film build.
- Great filling characteristics.
- Suitable for metal, aluminum and plastics.
- Large paint gun style fan pattern.



Stock	Code	Colour	Size	Qty.
SAPB	24025	Black	454 g/16 oz	12
SAPG	24023	Grey	454 g/16 oz	12
SAPW	24028	White	454 g/16 oz	12

SUPER ACID ETCH PRIMER

Used for priming bare metal surfaces, promoting adhesion of additional primers, sealers or topcoats. Great on sand through areas prior to painting, on bare metal panels or seams before sealant is applied.

- Fast drying and fast coverage.
- Prevents steel from rusting.
- Can be top coated in as little as 10 minutes.
- Can be painted directly over.



Stock	Code	Colour	Size	Qty.
SEPA	24010	Grey	425 g/15 oz	12

FLEX FILL MULTI-PURPOSE FILLER

A high build primer specially designed to fill sand scratches with great adhesion to all plastics. Sanding is easy and fast, without clogging the sand paper.

- No mixing, just pour and spray.
- Fast drying.
- Great filling properties.
- Compatible with all automotive top coats.
- Top Coats can be applied in 20 minutes.
- One to two medium wet coats covers 150 to 180 grit sand scratches marks.



Stock	Code	Colour	Size	Qty.
SFX	24002	Aerosol – Grey	425 g/15 oz	12
BFX	916100	Bulk – Grey	1 L/33.8 fl oz	6
BFX1	916101	Bulk – Grey	3.78 L/1 gal	4

ONE STEP SELF-ETCH PRIMER

A convenient and easy to use “etching” primer that provides excellent adhesion for additional top coats, primers and sealers to metal surfaces. Compatible with all primer surfacers for spot repair and refinishing.

- Fast drying.
- Superior adhesion and corrosion protection.
- **Great filling characteristics.**
- Great for sand through areas prior to painting.
- Large paint gun style fan pattern.
- One to two medium wet coats covers 150 to 180 grit sand scratches marks.



Stock	Code	Colour	Size	Qty.
SEP	24008	Grey	425 g/15 oz	12
SEP1	24009	Black	425 g/15 oz	12

1K HIGH BUILD PRIMER/FILLER

Designed as a fast drying, easy sanding primer that can fill uneven surfaces, minor scratches, and sanding scratches prior to top coating.

- Paintable in as little as 30 minutes.
- Great filling characteristics.
- Large paint gun style fan pattern.
- DTM.



Stock	Code	Colour	Size	Qty.
SHBP	24016	Grey	454 g/16 oz	12
SHBPB	24020	Black	454 g/16 oz	12
SHBPW	24021	White	454 g/16 oz	12

SURE TEX FLEXIBLE TEXTURE MATERIAL

A flexible texturizing material designed to match most OEM bumper and vinyl dash pad textures.

- Easily applied direct from the aerosol can.
- Fast drying.
- Remains flexible.
- Compatible with all primers and topcoats.
- OEM appearance and texture.

Stock	Code	Size	Qty.
SST16	240201	350 g/12.3 oz	12



GUIDE COAT

An easily applied black coating that will act as a visual guide to help identify pinholes and other imperfections. Ideally used to provide a smooth surface when sanding grey, red or other contrasting primer colours.

- Fast Drying.
- Easily “misted” onto surfaces.
- Easy sanding to reveal any existing imperfections.
- Flat black colour.

Stock	Code	Size	Qty.
SGC	24001	340g/12 oz	12





REDUCE YOUR CYCLE TIME



3 IN 1 Primer

3 in 1 Primers are quick to dry and easy to sand, paintable in as little as 30 minutes. Apply direct to metal, aluminum, plastic, fiberglass and SMC.


SAPB / 24025 Black 454g / 16oz
 SAPW / 24028 White 454g / 16 oz
 SAPG / 24023 Grey 454g / 16 oz

Sure Seal E-Coat


Sure Seal E-Coat's are a direct to metal primer used to restore OEM colour and sheen. Use on engine compartments, inner body panels, trunk areas and support rails.




Available in 7 OEM colours.




SECOB/240046
OLIVE BROWN
340g




SECTA/ 240047
TAN 340g




SECOG/240043
OLIVE GREEN
340g




SECLG/240044
LIGHT GREEN
340g



SECBL/240042
BLACK 340g



SECGRY/240048
GREY 340g



SECWH/240050
WHITE 340g



dominionsureseal.com 1-800-265-0790





Innovative Tape Based Solutions for Automotive Refinish.

ADVANCED FOAM MASKING TAPE

An innovative foam tape for masking all vehicle gaps. Adjustable to required depth. Prevents hard paint edges.

Stock/Code	Size	Qty.
1011.2050	20 mm x 50 m	1

A unique, adjustable and efficient way to mask cars for paint and lacquer. Great for use in moving parts, all apertures, A, B, and C posts. Easy to apply with precise fingertip adjustment. One continuous length for easy selection of desired size. More absorbant than other tapes.



PERFORATED TRIM MASKING TAPE

Protects rubber trims and bodyside mouldings during spraying. Perforated for easy tear off and flexible to follow contours and tight curves.

Stock/Code	Size	Qty.
1055.5010	50 mm x 10 m	1



PRIMESHIELD

A fast and efficient way to mask door apertures and other vehicle gaps making previously unmaskable gaps simple and easy to protect. **Unique figure 8 shape.**

Stock/Code	Size	Qty.
1015.1535	15 mm x 35 m	1
1015.2225	22 mm x 25 m	1



NO EDGE BLENDING TAPE PLUS

The fast and sure way to mask panel edges and swage lines. Eliminates unnecessary re-work due to unwanted hard painted edges.

Stock/Code	Size	Qty.
1012.2025	20 mm x 25 m	1



SMOOTH EDGE FOAM MASKING TAPE

A simple way to mask your car and protect the interior. Reduces levels of hard paint edges.

Stock/Code	Size	Qty.
1013.1350	13 mm x 50 m	1



PARKING SENSOR MASKING DISCS

The fast and sure way to save time masking integrated parking sensors and rubber seal.

Stock/Code	Size	Qty.
4002.6017	18 mm diameter	60/sleeve





JTAPE™

JUST STICK IT

Exclusively distributed by Dominion Sure Seal Ltd. AVAILABLE IN CANADA ONLY

PRIME & PAINT FOAM MASKING TAPE

A unique 2-in-1 product for priming and painting. Allowing you to move seamlessly from one stage to another, the product is a fast and effective way to run through the painting process.

Stock/Code	Size	Qty.
1016.3530	35 mm x 30 m	1



Prime & Paint Foam Masking Tape prevents hard primer and ground coat edges. It is a huge time saver as it removes the need to re-mask between coats. These products feature a premium adhesive that will leave no residue. Easily removeable in this simple, one step process.

All JTAPE products feature a premium adhesive that is easily removable and will leave no residue.

CUSTOMISING TAPE

Customising tape has eight lengths of pre-cut fine line tape which can allow curved patterns to be created when customising vehicles. 8 stripes x 1.5mm (1/16").

Great for pinstripping and curves.

Stock/Code	Size	Qty.
1119.1210	12 mm x 10 m	1



ORANGE FINE LINE TAPE

Masking tape for multi-colour and design paint jobs. Designed for long straight lines whilst remaining flexible. Temperature resistant up to 150°C/302°F.

Stock/Code	Size	Qty.
1111.0355	1/8" x 60 yds	1
1111.0655	1/4" x 60 yds	1
1111.1255	1/2" x 60 yds	1



CLEAR LOGO TAPE

For professional re-application of vehicle decals. Reduces costs and speeds up the reclaim process. One unit is a sleeve of 10 sheets.

No need to cut out each letter or number in the decal!

Stock/Code	Size	Qty.
2210.5030	50 mm x 300 mm	10



NEW IMPROVED ALLOY REPAIR MASK

Our flexible solution for the masking of tires during the re-spraying of alloy wheels. Now with an improved corona treatment. One unit is a box of 20 individually wrapped sheets.

Stock/Code	Size	Qty.
1095.1417	170 cm x 140 cm	5



JTAPE INTRODUCTORY KIT

Stock/Code	Description	Qty.
5100.0006	Kit Includes:	
	Advanced Foam Masking Tape	2
	Primeshield 15 mm	1
	Primeshield 22 mm	1
	No Edge Blending Tape PLUS	1
	Perforated Trim Masking Tape	1
	Orange Fine Line Masking Tape	1
	Baseball Cap	1



ULTRA CLEAR COAT 4:1

Utilizing the latest in low viscosity, high solid resin technology, this clear coat has excellent clarity and gloss. Works well in down draft baking applications.

- Complies with Canadian and California VOC requirements.



Stock	Code	Description	Size	Qty.
EU102	2120	Ultra Clear Coat 4:1	3.78 L/1 Gal	4
EA100F	2104	Fast Activator	946 mL/32 fl oz	12
EA100M	2102	Medium Activator	946 mL/32 fl oz	12
EA100S	2103	Slow Activator	946 mL/32 fl oz	12
EU102Q	3120	Ultra Clear Coat 4:1	946 mL/32 fl oz	12
EA100FHP	3104	Fast Activator	236 mL/8 fl oz.	12
EA100MHP	3012	Medium Activator	236 mL/8 fl oz.	12
EA100SHP	3103	Slow Activator	236 mL/8 fl oz.	12
EU102KF	21002F	4:1 Fast – KIT	4.7 L/1.25 gal	1
EU102KM	21002M	4:1 Medium – KIT	4.7 L/1.25 gal	1
EU102KS	21002S	4:1 Slow – KIT	4.7 L/1.25 gal	1

URETHANE GRADE REDUCER

Low VOC urethane grade reducer/thinner. New formula will not amber.



Stock	Code	Speed	Size	Qty.
UURF1LV	6007	Fast	3.78 L/1 gal	4
UURM1LV	6009	Medium	3.78 L/1 gal	4

WET LOOK – HARDENER CATALYST FOR ACRYLIC ENAMEL

A high solids formulation designed to produce an excellent high gloss finish.

- Will produce an advanced acrylic finish that will dry harder & faster.
- Excellent gloss retention.
- Superior chemical resistance.



Stock	Code	Colour	Size	Qty.
HEWL	72308	Clear	473 mL/16 fl oz	12

PRO SERIES

PRO SERIES 4:1 CLEAR COAT

2K Clear Coat that offers UV protection, and great clarity for its cost. Formulated with high grade acryl resins. (Not available in Canada).

- Different speed activators.
- Excellent gloss retention.
- Extremely flexible and tough.
- Apply over most basecoat systems.



Stock	Code	Colour	Size	Qty.
PS012	01250	Clear	3.78 L/1 gal	2

Pro Series 4:1 Clear Coat Activator

Activator for use with Pro Series 4:1 Clear Coat (PS012).



Stock	Code	Speed	Size	Qty.
PS012HF	01253	Fast	946 mL/32 fl oz	6
PS012HM	01256	Medium	946 mL/32 fl oz	6
PS012HS	01257	Slow	946 mL/32 fl oz	6

CRYSTAL CLEAR 2K CHIP GUARD

A high solid, low VOC, Crystal Clear coating with excellent UV resistance that is designed to provide a resilient, durable, invisible barrier to repel stones and other road debris that could damage the finish of your vehicle's painted surface.

- Crystal Clear – Excellent UV resistance.
- Leave's no tape line like protective adhesive films.
- Extremely resilient and durable against chips
- Permanently flexible.
- Apply to any area where chip resistance is needed.



Stock	Code	Colour	Size	Qty.
BCG4	101004	Clear	946 mL/32 fl oz (2 Part Kit)	6
BCG4G	101007	Clear	7.56L/2gal kit (2 part kit)	

UNIVERSAL ACRYLIC URETHANE HARDENER MEDIUM

- For use with all acrylic urethane clearcoats.



Stock	Code	Colour	Size	Qty.
EUH130	1300	Clear	946 mL/32 fl oz	12



PRO SERIES

PRO SERIES 2:1 EUROPEAN CLEAR COAT

A high solid, German made VOC compliant (2.1lbs/gal) acrylic clear coat that has excellent flow characteristics, and an ultra clear distinctness of image.

- 49.1% solids.
- 2:1 Mix Ratio.
- Different speed activators.
- Excellent gloss retention.
- Ultra clear and extremely durable against all environmental and climatic circumstances..
- Apply over most basecoat systems.



Stock	Code	Colour	Size	Qty.
PS028	02840	Clear	5 L/1.32 gal	2

Pro Series 2:1 European Clear Coat Activator

Activator for use with Pro Series 2:1 Clear Coat (PS028).

Stock	Code	Speed	Size	Qty.
PS0285HF	02843	Fast	2.5 L/0.66 gal	4
PS028HM	02846	Medium	2.5 L/0.66 gal	4
PS028HS	02847	Slow	2.5 L/0.66 gal	4



INSTANT CLEAR COAT

Used for finishing coated surfaces in order to achieve a high gloss, UV resistant and durable finish.

- Easy application.
- Gives 2K performance.
- Excellent build and compatible with water based coatings.
- Ideal for spot repairs in trunk, door jambs, under hood and other areas with minimal sun exposure.
- Large paint gun style fan pattern.

Stock	Code	Size	Qty.
SIC	24042	340 g/12 oz	12



FADEAWAY FADE OUT SPRAY

A fast, simple and accurate way to dissolve the edges of repairs using 2K coatings. The blended edge will melt into the original paint requiring little or no processing once the clearcoat has cured.

- Use for both MS and HS Clearcoats.
- 100% UV stable.
- Remains permanently flexible.
- Ultra chemical resistant.

Stock	Code	Colour	Size	Qty.
SFA	23999	Clear	357 g/12.6 oz	12



LOW VOC 2:1 EUROPEAN CLEAR COAT

This 2:1 low VOC Clearcoat is formulated to produce a finish that will compare with any clear coat available on the market today. It provides exceptional flow, levelling characteristics, excellent gloss and is easy to buff.



Stock	Code	Description	Size	Qty.
EU121	2121	Clear Coat 2:1	5 L/1.32 Gal	2
EUA121F	2124	Fast Activator	2.5 L/0.66 gal	2
EUA121M	2122	Medium Activator	2.5 L/0.66 Gal	2
EUA121S	2125	Slow Activator	2.5 L/0.66 Gal	2

EU121Q	3121	Clear Coat 2:1	946 mL/32 fl oz	12
EAU121FP	3124	Fast Activator	473 mL/16 fl oz	12
EUA121MP	3122	Medium Activator	473 mL/16 fl oz	12
EUA121SP	3125	Slow Activator	473 mL/16 fl oz	12

EU121KF	21021F	2:1 Fast – KIT	7.5 L/2 gal	1
EU121KM	21021M	2:1 Medium –KIT	7.5 L/2 gal	1
EU121KS	21021S	2:1 Slow –KIT	7.5 L/2 gal	1

TRIM BLACK SEMI GLOSS AND FLAT

Trim Black restores faded and peeling paint from exterior trim parts. Specially formulated to stick to properly cleaned metal, stainless steel, chrome and other plastic trim pieces.

- Convenient aerosol.
- Restores automotive trim pieces back to original black colour.
- Fast coverage.
- Self etching.
- Minimal surface prep.



Stock	Code	Colour	Size	Qty.
STW1	24003	Semi Gloss Black	425 g/15 oz	12
STW2	24007	Trim Black Flat	425 g/15 oz	12





GRAVEL GUARD

A fast drying, flexible and tough coating that protects rocker panels and ground effects from stone chips and other road debris. Can be over painted in approximately 30 minutes. Also provides sound deadening and corrosion resistance.

- Easy application by aerosol or schutz can.
- High build up and texture.
- Highest rubber content in the industry.
- Quick Drying.
- Paintable.

Texture: Black = Coarse
 Silver = Medium
 Beige = Fine
 Clear = No Texture

Stock	Code	Colour	Size	Qty.
BVG1	103710	Black	830 mL/28.1 fl oz	12
BVG11	103720	Black	3.78 L/1 gal	4
SVG1	240081	Black-Aerosol	405 g/4.3 fl oz	12
SVG124US	240080	Black-Aerosol	503 g/17.7 fl oz	12
SVG124	240083	Black-Aerosol	550 g/19.4 fl oz	12

BVG3	1005	Beige	830 mL/28.1 fl oz	12
SVG3	24006	Beige-Aerosol	405 g/14.3 fl oz	12

BVG2	1039	Silver	830 mL/28.1 fl oz	12
SVG2	24005	Silver-Aerosol	405 g/14.3 oz	12

SVGC	240085	Clear	454 g/16 oz	12
------	--------	-------	-------------	----

CLEAR

A low VOC gravel guard designed to form a tough clear finish for the protection of rocker panels from scuffing, chipping and abrasion.

- Meets southern California requirements.
- High rubber content.
- Permanently flexible.
- Produces a fine wet look finish.
- Excellent build.

BEDLINER, UNDERCOATING AND GRAVEL GUARD GUN

The gun has a threaded collar which allows for direct attachment to standard US quart cans. This gun sprays a variety of products.



Stock	Code
BUPA	0003

ADJUSTABLE SCHUTZ GUN

Adjustable nozzle to obtain different textures with undercoating, gravelguards and bedliners.

- Fits standard US cans



Stock	Code
BUPAE	0004

EMPTY SCHUTZ CAN

Empty Schutz Can with lid for spraying applications.



Stock	Code	Size	Qty.
CCSHUTZ	00033	830 mL/28.1 fl oz	12



FAST DRY PAINTABLE BLACK RUBBERIZED UNDERCOATING

An easy to use rubberized undercoating that dries fast, is paintable and provides excellent abrasion protection, sound deadening and corrosion protection. **Not for sale in California.**

- Easy application.
- Fast drying with good build up and texture.
- Apply to vehicle chassis, wheel wheels, inner panels and fenders.
- OEM appearance and texture.
- No odor when dry.



Stock	Code	Colour	Size	Qty.
BUF	1004	Black	830 mL/28.1 fl oz	12
BUF1	1089	Black	3.78 L/1 gal	4
BUF5	1025	Black	18.9 L/5 gal	1

BLACK ASPHALT UNDERCOATING

An asphaltic based undercoating that provides excellent abrasion resistance, sound deadening and corrosion protection for use on car chassis and wheel wells. Not paintable.

- Easy application with schutz gun or aerosol.
- Remains permanently tacky.
- Excellent protection against rust.
- OEM appearance and texture.
- No odor when dry.



Stock	Code	Colour	Size	Qty.
SUP20	24012	Black-Aerosol	510 g/18 oz	12
SUP	24013	Black-Aerosol	550 g/19.4 oz	12
BUP	1028	Black	830 mL/28.1 fl oz	12
BUP5	10275	Black	20 L	1

UNDERCOATING WAND

Replacement wand for undercoating applications.

- Use with BUPAE.



Stock	Code	Qty.
TUCW	1425	1

RUBBERIZED UNDERCOATING – AEROSOL

Fast Dry Paintable Black Rubberized and Low Voc Undercoatings

High rubber content, fast dry, paintable undercoating used for sound deadening, corrosion protection, and abrasion protection.

California compliant.

- Easily applied by aerosol or schutz gun.
- Fast drying with the look OEM type texture.
- High rubber content (no asphalt).
- Paintable.
- Excellent build and non-sag properties.



Stock Code	Colour	Size	Qty.
SUF 240040	Black	405 g/14.29 oz	12
SUFV 240041	Black	503 g/17.75 oz	12

SUPER PROTECTOR – PAINTABLE RUBBERIZED UNDERCOAT

A hi-build rubberized coating that provides excellent abrasion and chip protection, sound deadening, and corrosion resistance to the vehicle underside, wheel wells, trunk, hood and inner panels.

California compliant.

- Easy application.
- High build up and texture.
- Superior rubber content.
- No odor when dry.
- Quick Drying.



Stock	Code	Colour	Size	Qty.
SUR	240051	Black-Aerosol	405 g/14.3 fl oz	12
BUR	1008	Black	830 mL/28.1 fl oz	12
BUR1	1033	Black	3.78 L/1 gal	4
BUR5	1030	Black	18.9 L/5 gal	1

BLACK ASPHALT UNDERCOATING – BRUSHABLE

A brushable heavy body undercoating that is asphaltic and non-paintable. Provides excellent abrasion resistance, sound deadening and corrosion protection.

- Easily applied directly from the can with a brush or airless equipment.
- Very high build up and texture.
- OEM appearance and texture.



Stock	Code	Colour	Size	Qty.
BUC1	1026	Black	1 kg/2.2 lbs	6
BUC4	1029	Black	4 kg/8.8 lbs	2



NO DRIP RUST PROOFING

Dripless oil based rust protection that should be applied annually.

- Easy to apply.
- Superior adhesion.
- Unique No-Drip formula
- Incredible capillary action to reach inner cavities.
- Minimal overspray.
- Non-Offensive odour.



Stock	Code	Colour	Size	Qty.
ASS512SC4L	1023	Amber	4 L/1.06 gal	4
ASS512SCP	10131	Amber	20 L/5 gal	1
ASS512SCK	1010	Amber	60 L/16 gal	1
ASS512SCD	1011	Amber	205 L/54.2 gal	1

Stock	Code	Colour	Size	Qty.
ASS512SB4L	1024	Black	4 L/1.06 gal	4
ASS512SBP	10121	Black	20 L/5 gal	1
ASS512SBK	1015	Black	60 L/16 gal	1
ASS512SBD	1017	Black	205 L/54.2 gal	1

RUST OFF! RUST CONVERTER

Converts rust through a unique chemical process to an insoluble black coating. An excellent foundation for paint and body fillers. Also available in a gel (BROG).

- Unique rust converting formula.
- Easy to apply.
- Gets into 'tough-to-reach' rusted areas.
- Can be painted and primed over.



Stock	Code	Colour	Size	Qty.
BROQ	10044	Brown	1 L/33.8 fl oz	12
BRO1	10043	Brown	3.78 L/1 gal	4
BRO5	10042	Brown	18.9 L/5 gal	1

GELLED RUST REMOVER

Rust Remover is a unique gel designed to stop and convert rust in areas to be primed and refinished. Gel works especially well on vertical surfaces.

- Unique rust converting formula.
- Easy to apply.
- Gets into 'tough-to-reach' rusted areas.
- Can be painted and primed over.



Stock	Code	Size	Qty.
BROG	10045	473 mL/16 fl oz	12

ADJUSTABLE SCHUTZ GUN

Adjustable nozzle to obtain different textures with undercoating, gravelguards and bedliners.

- Fits standard US cans



Stock	Code
BUPAE	0004

DOM16 ULTIMATE RUST PREVENTATIVE COATING

Formulated to be applied directly over rusted metal, this rock hard coating isolates the surface from moisture and oxygen, effectively killing existing and preventing further rust. Ideal for auto-frame repairs.

- Scratch, chip and chemical resistant.
- Flexible.
- Seals out moisture.
- Paintable. Apply by brush or spray.



Stock	Code	Colour	Size	Qty.
DOM16CP	10041	Clear	473 mL/16 fl oz	6
DOM16CQ	10040	Clear	946 mL/32 fl oz	6
DOM16GP	10053	Grey	473 mL/16 fl oz	6
DOM16GQ	10052	Grey	946 mL/32 fl oz	6
DOM16P	10048	Black	473 mL/16 fl oz	6
DOM16Q	10049	Black	946 mL/32 fl oz	6

RUST PROOFING WAND

Replacement wand for rust proofing applications. Use with BUPAE.



Stock	Code	Qty.
TRPW	1415	1



ANTI-CORROSION SEALER

Permanent, wax based exterior and inner panel protectant that prevents corrosion.

- Capillary action penetrates seams and joints of inner body panels.
- Remains flexible at low temperatures
- Will not run or sag with heat.
- Superior adhesion to metal substrates



Stock	Code	Colour	Size	Qty.
ASS512B	1013	Black	830 mL	12
ASS512B4L	1018	Black	4 L/1.06 al	4
ASS512BP	1016	Black	20 L/5 gal	1

Stock	Code	Colour	Size	Qty.
ASS512A	1012	Amber	830 mL	12
ASS512C4L	1020	Amber	4 L/1.06 gal	4
ASS512CP	1019	Amber	20 L/5 gal	1

RUST PROOF FOGGER ACCESSORY KIT

Features all of our most popular wands to make your work fast and easy. Includes a quick coupler for the spray gun to allow rapid changes from one wand to another.



Stock	Code	Qty.
ASS512RPF	1736	1

AMBER ANTI-CORROSION SEALER

An amber coloured, wax based, interior spray compound to inhibit rust.

- Never dries.
- Easy to use.
- No harsh odors.



Stock	Code	Colour	Size	Qty.
SACM	101004	Amber	350 g/12.35 fl oz	12

COMPLETE ANTI-CORROSION SPRAY EQUIPMENT

Deluxe Rustproofing Gun and Accesories.

- Complete kit includes 2 wands – flexible and rigid.
- Washer and gasket kit included.



Stock	Code	Qty.
ASSE	'0001	1

COMPLETE RUST PROOFING KIT 2.25GL

The gun atomizes the material by mixing air with the product in the gun's spray head. The wand included with the system has an angled metal venturi nozzle with a heavy duty flexible rubber hose. It produces a conical spray pattern for general purpose applications.

- The most professional, feature enhanced system on the market.
- Complete system with 2.25G pressure pot, dual regulators with gauges, 25' hose and RP-460 HD gun.
- Includes 45 degree hook flex wand and round nozzle.
- Simple to operate.
- Requires shop air 5–15cfm up to 125 PSI.
- Great results every time.



Stock	Code
ASS512EQ	1735

REPLACEMENT WAND FOR ASSE GUN

Flexible wand with 360° spray nozzle.

Stock	Code	Qty.
WAND1	1410	1

Flexible wand with 90° spray nozzle.

Stock	Code	Qty.
WAND3	1420	1

1/2" UNIBIT FOR DRILLING HOLES FOR SEALER

High quality cobalt HSS stepped bit for drilling 1/2" holes.



Stock	Code	Size	Qty.
1058	10310	1/2" unibit	1

ANTI-CORROSION RUBBER BODY PLUGS

1/2" (13 mm) rubber plugs for sealing drilled holes for rustproofing.

Stock	Code	Size	Qty.
BUPP	1306	1/2"	100
BUPP1M	1307	1/2"	1000
BUPP5M	1308	1/2"	5000



SHAKE & SHOOT BEDLINER

Easy to use urethane bedliner: simply pour part B into part A, shake and shoot! Also can be applied by roller or brush. Provides a tough, durable finish with excellent UV resistance.

- New improved finish with our new BUPASS gun.
- Provides superior resistance to abrasion and scraping damage.
- Tintable product is UV Resistant.
- Tint with urethane solvent base coat tints with no binders.



Stock	Code	Description	Size	Qty.
BSSBL	1216	Black - Full Bed Kit	4 L/1.06 Gal (KIT)	4
BSSBLT	1235	Tintable - Full Bed Kit	3.6 L/0.95 gal	4
BSSBL1S	1217	Black - Single Can Kit	828 mL/28 fl oz	1
BSSBL1S	1219	Tintable - Single Can Kit	828 mL/28 fl oz	1

EZ LINER BEDLINER AND INDUSTRIAL STRENGTH COATING

Our easiest to apply bedliner, EZ Liner is a one part moisture cure urethane coating that remains flexible and offers the best anti-skid, adhesion and durability of any after-market bedliner.

- Apply with a brush, roller or schutz gun (BUPA).
- Non Toxic and very low odour.
- The perfect product for professional use and retail distribution.
- 1 kit is enough for 1 average size truck bed.
- Also available in a convenient aerosol (SEZL).



Stock	Code	Colour	Size	Qty.
BEZLG	100105	Black	3.78 L/1 gal	3

EZ LINER BEDLINER AND INDUSTRIAL STRENGTH COATING

Convenient aerosol of our gallon kit (BEZLG) EZ Liner Bedliner. Suitable for trim work around the bed and touching up any tears, scratches and chips in liquid bedliners.

- Resists heavy impact, scratches, severe weather, rust and fading.
- Seals out moisture and corrosion.
- Remains permanently flexible.
- Ultra chemical resistant.



Stock	Code	Colour	Size	Qty.
SEZL	24040	Black	467 g/16.47 oz	12

GATOR GUARD LIQUID BEDLINER AND MULTI-PURPOSE COATING

A superior quality epoxy/urethane that is reinforced with Kevlar to provide the ultimate protection for truck beds. Withstands abrasion, gasoline, acids and has a very high tear strength. The industry's first.

- Excellent adhesion to bare or primed metal, plastic, concrete, glass and wood.
- Available in Black and White.
- High impact, abrasion and chemical resistance.
- Easily applied with BUPA gun or by brush or roller.
- Top Coats can be applied in 20 minutes.
- Excellent sound deadening capacities.



Stock	Code	Colour	Size	Qty.
BGG2	100096	Black	1.7L/0.45 gal	3
BGG2W	100098	White	1.7L/0.45 gal (kit)	3

BGG21	100097	Black	6.8L/1.8 gal	1
BGG21W	100099	White	6.8L/1.8 gal	1

BGG25	1000100	Black	34L/9 gal	1
BGG25W	1000101	White	34L/9 gal	1

HIPPO LINER

A urethane based 2k coating that can be used on truck beds, trailers, hoppers, boats, off road vehicles, RV's and other surfaces.

- Excellent adhesion to bare or primed metal, plastic, concrete, glass and wood.
- High impact, chemical and abrasion resistance.
- Apply with a BUPA gun or roller.
- Excellent sound deadening capacities.



Stock	Code	Colour	Size	Qty.
BHBLCR	100500	Black-Canada	1.7 L/0.45 gal	3
BHBLUR	10001	Black-USA	1.7 L/0.45 gal	3

COLOR YOUR HIPPO TINTABLE BEDLINER & PROTECTIVE COATING

A tough, tintable, 2 part urethane coating used to protect Truck Beds (replaces drop-in plastic liners), Trailers, Boats, Off-Road Vehicles, RV's and almost anything that requires extreme durability.

- Apply with schutz style spray gun, brush, or roller.
- Add your own Single Stage urethane grade tint for any color!
- Aliphatic – resists fading.
- Excellent adhesion to metals, wood, fiberglass, concrete and most plastic.
- Seals surfaces against moisture and corrosion.



Stock	Code	Colour	Size	Qty.
BCYH	100600	Clear	1.7 L/0.45 gal (kit)	3



BEDLINER, UNDERCOATING AND GRAVEL GUARD GUN

The gun has a threaded collar which allows for direct attachment to standard US quart cans. This gun sprays a variety of products.



Stock	Code	Qty.
BUPA	0003	1

SHAKE & SHOOT GUN

New + improved for 2016 this gun lays out our Shake & Shoot bedliner perfectly.



Stock	Code	Qty.
BUPASS	0005	1

EMPTY SCHUTZ CAN


Empty Schutz Can with lid for spraying applications.



Stock	Code	Size	Qty.
CCSHUTZ	00033	830 mL/28.1 fl oz	12

BEDLINER WIRE TRIM TAPE

Designed for use with our bedliner products. The embedded metal wire ensures a clean edge on truck rails.



Stock	Code	Size	Qty.
WBWT	3086	100 Ft.	1

DELUXE CAULKING GUN

All standard 300 mL cartridges may be used with this high thrust caulking gun. Thrust ratio 26:1



Stock	Code	Qty.
TCG	00072	1

SEAM SEALER SPRAY GUN

Applicator gun for replicating sprayed OEM seams and sound deadening with CSSB/CSSG/CSSW.

- Adjustable spray pattern to replicate OEM sprayed seams and sound deadening.
- Can also be used for regular caulked seams with included accessories.
- Includes tips for door seams and truck beds.



Stock	Code	Qty.
TMSP	207	1

ADJUSTABLE SCHUTZ GUN

Adjustable nozzle to obtain different textures with undercoating, gravelguards and bedliners.



Stock	Code	Qty.
BUPAE	0004	1

NYLON CUP BRUSH

Designed to ensure proper adhesion of all bedliners this sanding cup creates an 80 – 120 grit surface scratch.

- Cuts sanding time up to 50%.
- Works with standard 5/8" thread buffer/polisher at 1000 to 1400 RPM.



Stock	Code	Qty.
TNBC	208	12

APPLICATION ROLLER FOR BEDLINERS

Designed to be compatible for applications of our EZ Liner and Hippo Bed Liners.

- Perforated roller jhead and material creates the best non-slip surface texture of any roller.



Stock	Code	Qty.
TROLLER	00021	12

ECONOMY CAULKING GUN

All standard cartridges may be used. One year guarantee.



Stock	Code	Qty.
TCG1	00073	1

DISPENSER GUN FOR 207 mL SURE MIX CARTRIDGE

Applicator gun for both 1:1 and 2:1 207 mL cartridges.



Stock	Code	Qty.
T221	221	1



PRO SERIES LVMP GUN

Professional Series Spray Gun adopts low volume middle pressure technology (LVMP). The optimized pressure inner cap can bring better economic value, painting with quicker speed and over 65% transferring efficiency. (Not available in U.S.A.)



Stock	Code	Size	Qty.
PS403	8403	1.3 mm Spray Tip	1
PS404	8404	1.4 mm Spray Tip	1
PS408	8408	1.8 mm Spray Tip	1
PS409	8409	2.0 mm Spray Tip	1

REPLACEMENT TIP FOR PRO SERIES LVMP GUN

Replacement tips for our PS403, PS404 and PS408 professional paint guns.

Stock	Code	Size	Qty.
T403	8611	1.3 mm tip	1
T404	8612	1.4 mm tip	1
T408	8613	1.8 mm tip	1

GRAVITY-FED MINI SPRAY GUN

High performing and efficient, this slender gun is ideal for blending, jams and spot repair. Superior flexibility in tight spaces.



Stock	Code	Size	Qty.
PS420	8420	1.0 mm Spray Tip	1
PS422	8422	1.2 mm Spray Tip	1

SPRAY GUN PAINT REMOVER

Quickly dissolves paint and cleans fluid passages to keep paint guns running smoothly and ready for the next job.

- Powerful pinpoint spray quickly dislodges and dissolves paint.
- Saves time, labour and material.
- Works with all gravity feed and PPS style guns.



Stock	Code	Size	Qty.
SSGC	10065	270 g/9.5 oz	12

PRO SERIES HVLP GUN

A low cost production capable HVLP gun that greatly increases your transfer efficiency and is USA compliant.



Stock	Code	Size	Qty.
PS413	8413	1.3 mm Spray Tip	1
PS414	8414	1.4 mm Spray Tip	1
PS418	8418	1.8 mm Spray Tip	1

PAINT GUN CUP

Replaceable paint cup designed for professional series spray guns.

Stock	Code	Qty.
PS400C	8400	1

SPRAY GUN MAINTENANCE KIT

22 piece kit ideal for cleaning all types of spray guns including: suction, gravity feed, hvlp, spot, pressure and airbrushes.



Stock	Code	Qty.
PS610	8610	1

PREMIUM GUN WASH

Solvent based gun wash for gun cleaning systems. **Not for sale in California.**



Stock	Code	Qty.
UGW5	10070	1

RE-USABLE PAINT SUIT

Ideal for protecting clothes and bare skin from paint, chemicals and dirty environments. A comfortable fit with full range of movements.

- Lightweight and durable. Breathable and cool.
- Full zipper front and pull over hood.
- Washable



Stock	Code	Size	Qty.
PSUITM	8902	Medium	12
PSUITLG	8901	Large	12
PSUITXL	8900	Extra Large	12
PSUITXXL	8903	Extra Extra Large	12





RUST PAINT

- Superior rust protection
- Outstanding gloss retention
- Durable finish
- Fast dry
- For clean or rusted metal
- No primer required

RUST PAINT - 340G


21423 - RUST CHECK RUST PAINT GLOSS WHITE
21425 - RUST CHECK RUST PAINT GLOSS BLACK
21426 - RUST CHECK RUST PAINT FLAT BLACK
21427 - RUST CHECK RUST PAINT FIRE RED
21431 - RUST CHECK RUST PAINT HOLLAND YELLOW
21432 - RUST CHECK RUST PAINT GREEN
21434 - RUST CHECK RUST PAINT ALUMINUM
21439 - RUST CHECK RUST PAINT YELLOW
21440 - RUST CHECK RUST PAINT SILVER GREY

FARM & EQUIPMENT - 340G

21012 - RUST CHECK FARM & IMP JD GREEN
21013 - RUST CHECK FARM & IMP FORD BLUE
21014 - RUST CHECK FARM & IMP INTERNATIONAL RED
21015 - RUST CHECK FARM & IMP JD YELLOW
21016 - RUST CHECK FARM & IMP OLD CAT YELLOW
21017 - RUST CHECK FARM & IMP NEW CAT YELLOW



RUST CHECK CORP.: 1-888-RUSTIES • www.rustcheck.com



Rust Paint

Superior rust protection paint.

- Outstanding gloss retention.
- Durable finish.
- Fast dry.
- For clean or rusted metal.
- No primer required.



Stock	Code	Colour	Size	Qty.
DS21012	21012	John Deere Green	340 g/12 fl oz	6
DS21013	21013	Ford Blue	340 g/12 fl oz	6
DS21014	21014	International Red	340 g/12 fl oz	6
DS21015	21015	John Deere Yellow	340 g/12 fl oz	6
DS21016	21016	Old Cat Yellow	340 g/12 fl oz	6
DS21017	21017	New Cat Yellow	340 g/12 fl oz	6
DS21423	21423	White	340 g/12 fl oz	6
DS21425	21425	Black	340 g/12 fl oz	6
DS21426	21426	Flat Black	340 g/12 fl oz	6
DS21427	21427	Red	340 g/12 fl oz	6
DS21431	21431	Holland Yellow	340 g/12 fl oz	6
DS21432	21432	Green	340 g/12 fl oz	6
DS21434	21434	Aluminum	340 g/12 fl oz	6
DS21440	21440	Silver Grey	340 g/12 fl oz	6



EVIRO RUST WASH

An easy to use water soluble solution for washing away rust. Simply soak the rusted item in the solution, scrubbing is usually not required.



Stock	Code	Size	Qty.
DS11004	11004	1 L/33.8 fl oz	6



Coat & Protect

Coat & Protect is a heavy-duty protectant and lubricant. It forms a gel-like coating that resists moisture and abrasion. Provides durable lubrication and protection against rusting and seizing even under adverse outdoor weather conditions.

- Protects new and old metals.
- Wear resistant corrosion protection.
- Heavy duty lubrication.
- Resists severe weather conditions.

Stock	Code	Size	Qty.
CP6010	6010	830 mL/28.1 fl oz	6
DS10025	10025	350 g/12.35 fl oz	6



Rust Inhibitor

A multi-purpose rust inhibitor and residual lubricant that penetrates the tightest seams, bonding to metal and displacing moisture — the number one cause of corrosion.

- Protects new and old metals.
- Deep penetrating and long lasting.
- Lubricates and prevents seizing.

Stock	Code	Description	Size	Qty.
DS1043	1043	Aerosol	180 g/6.35 oz	12
DS1054	1054	Aerosol	350 g/12.3 oz	6
RC5010	5010		830 mL	6
DS1044	1044		4 L/1.06 gal	4



RUST KILLER

Provides a primed surface and can be applied directly over rust.

- Protects new and old metals.
- Resists high temperatures and common chemicals.
- Touch up rust surface spots, autobody repairs, frame rails etc.
- No sanding required.

Stock	Code	Size	Qty.
DS11001	11001	236 g/8 fl oz	6
DS11000	11000	350 g/12.35 fl oz	6



RUST CONVERTER

Quickly converts rusted surfaces from all metals to a paintable primer. Leaves a protective coating that inhibits further rust formation.

- Provides a primed surface and can be applied directly over rust.
- Resists high temperatures and common chemicals.
- Touch up rust surface spots, autobody repairs, frame rails etc.
- No sanding required.

Stock	Code	Size	Qty.
DS11005	11005	236 g/8 fl oz	12
DS11006	11006	283 g/10 fl oz	12





DOMINION SURE SEAL LTD.

INDEX

PREP & CLEANING

4 Way Helper	4
All Purpose Silicone Spray	4
Aqua Solv Cleaning Solution	4
Aqualate	4
Bumper Stripper	3
Citrus Based Panel Prep	3
European Sound Deadening Pads	3, 14
EZ Wipe Mild Paint Prep Solvent	2
Final Wash	2
Future Clean	3
Liquid Mask	4
Low VOC Wax & Grease Remover	2
Paint Off! Hand Cleaner	2
Paint Suit	2, 28
Panel Prep	3, 9
Premium Gun Wash	4, 28
Professional Label & Sticker Remover	3
Rust Penetrant	4
Spray Gun Paint Remover	4, 5, 28
Sure Mask	4
Sure Solv	3
Sure Sprayer Pump Bottle	2
Sure Strip	3
Sure Wipe	2
Tack Cloths	2

GLASS REPAIR

Glass Cleaner	6
Glass Molding tool	6
Liqui-Butyl window Installer	6
Putty Stick	6
Urethane Auto Glass Adhesive/Sealant	6
Windshield Wire	6

FILLERS AND PUTTY

European 2K Polyester Finishing Putty	7
Guide Coat	16
Kevlar Reinforced Repair Compound	7
Pro Series Finishing Glaze	7
Pro Series Lite Weight Grip Filler	7
Sure Glazing & Spot Putty	7
Sure Seal Plastic Surgery	9
Sure Tex Flexible Texture Material	16

PLASTIC REPAIR

Adhesion Promoter	9
Fibre Reinforcement Tape	9
Flex Fill	16
General Purpose Repair Epoxy	9
Kevlar Reinforced Repair Compound	7
Panel Prep	3, 9
Plastic Adhesive Weld Kit	9
Sure Mix 207 mL Tools	12, 13, 27
Sure Mix 50 mL Tools	10
Sure Mix All Purpose Urethane Repair	10
Sure Mix Urethane Plastic Repair	13
Sure Seal Plastic Surgery	9

ATTACHMENT TAPE

Double Sided Foam Attachment Tapes ..	10
---------------------------------------	----

PANEL BONDING

Dispenser Gun	27
SMC & Fiberglass	12
Sure Mix Panel Bonding – Metal & Aluminum	12

SEAM SEALER

1K DTM Seam Sealer	14
1K DTM Sprayable Seam Sealer	14
Brush On Seam Sealer	14
Seam Sealer Tools	14, 27
Sure Seal Seam & Joint Sealer	14
Surethane – Poly Adhesive/Sealant	14

PRIMERS

1K High Build Primer/Filler	16
2K Urethane Primer/Surfacer	15
3 in 1 Primer	16, 17
Copper Weld Thru Primer	15
Flex Fill	16
Guide Coat	16
Hi Build Zinc Welf Thru Primer	15
Low VOC Ultra Primer	15
One Step Self-Etch Primer	16
Super Acid Etch Primer	16
Sure Seal E-Coat	15, 17
Sure Tex Flexible Texture Material	16

JTAPE

Advanced Foam Masking Tape	18
Alloy Wheel Repair Mask	19
Clear Logo Tape	19
Customising Tape	19
Jtape Introductory Kit	19
No Edge Blending Tape Plus	18
Orange Fine Line Tape	19
Parking Sensor Masking Discs	18
Perforated Trim Masking Tape	18
Prime & Paint Foam Masking Tape	19
Primeshield	18
Smooth Edge Foam Masking Tape	18

CLEAR COATS

Acrylic Urethane Hardener Medium	20
Crystal Clear 2k Chip Guard	20
Fadeaway Fade Out Spray	21
Instant Clear Coat	21
Low VOC European 2:1 Clear Coat	21
Pro Series 2:1 European Clear Coat	21
Pro Series 4:1 Clear Coat	20
Tools and accessories	28, 2, 3, 4, 5
Trim Black	21
Ultra Clear Coat 4:1	20
Urethane Grade Reducer	20
Wet Look Hardener	20

GRAVEL GUARD

Clear, Black, Beige, Silver	22
Gravel Guard Tools and Accessories	22, 23, 27

UNDERCOATING

Asphaltic Undercoating	23
Rubberized Undercoating	23
Undercoating Tools	22, 23, 27

ANTI-CORROSION

Anti-Corrosion Sealer – Black & Amber	25
DOM16 – Rust Preventative Coating	24
Gelled Rust Remover	24
No Drip – Black & Amber	24
Rust Check	29, 30
Rust Off! Rust Converter	24
Rust Proofing Tools	24, 25

BEDLINERS

Bedliner Tools	27
EZ Liner	26
Gator Guard	26
Hippo Liner	26
Shake & Shoot	26

TOOLS

Anti-Corrosion	24, 25
Bedliner	27
Glass	6
Gravel Guard	22, 23, 27
Paint Gun Parts and Cleaners	28, 2
Panel Bonding	27
Plastic repair	10, 27
Pro Series HVLP Gun	28
Pro Series LVMP Gun	28
Seam Sealer	14, 27
Sure Mix	10, 12, 13, 27
Sure Sprayer Pump Bottle	2
Undercoating	22, 23, 27

RUST CHECK

Coat & Protect	30
Enviro Rust Wash	30
Rust Check	29, 30
Rust Converter	30
Rust Inhibitor	30
Rust Killer	30

SEAM SEALERS



1K Seam Sealer is a low viscosity, silyl-terminated sealant which cures by moisture reaction to form an elastic adhesive coating. It is isocyanate and silicone free.

- Permanently flexible in temperatures ranging from -40°C to 80°C.
- Can be used for both internal and underbody applications.
- Vibration and sound deadening properties.
- Paintable wet-on-wet with many water, solvent based paints.
- No bubble formation.
- Can be applied directly to metal, aluminum, painted surfaces, PVC, fiberglass, SMC and most plastics.
- Neutral behavior; will not attack support surfaces.
- Corrosion protection.
- Can be spot welded while sealant is wet.



TIME TESTED AND PROVEN



PRO SERIES CLEARS & HARDENERS



Pro Series 2:1 European Clear Coat is a VOC Compliant acrylic clear coat. Fast drying and excellent gloss is achieved by a two coat application. High quality, UV resistant and non-yellowing.

- High gloss retention.
- Compatible with all basecoat systems.
- Withstand all environmental and climatic circumstances.
- Yellowing resistant with durable, high gloss finish.
- Extremely tough and flexible.



Pro Series 4:1 Clear Coat offers excellent UV protection based on high grade acrylic resins. Three speed activators available, offering superior gloss retention and easy buffing.

- High gloss retention.
- Compatible with all basecoat systems.
- Excellent flow and leveling.
- Easy buffing within 12-72 hours.
- Extremely tough and flexible.





ADHESIVES & TAPES
ANTI-CORROSION
BEDLINERS
PROTECTIVE COATINGS
CLEAR & PRIMERS
PANEL BONDING
PLASTIC REPAIR
SEALANTS

DOMINION SURE SEAL GROUP OF COMPANIES

6175 Danville Road, Mississauga, Ontario, Canada L5T 2H7

Tel: (905) 670-5411 • Fax: (905) 670-5174

U.S.A. 1-800-265-0790

www.dominionsureseal.com • www.rustcheck.com